



PEUGEOT 308 & 308 SW INCLUDING ELECTRIC DIESEL & HYBRID

Prices, equipment
and technical specifications

Prices applicable from May 2026 E & OE



RANGE



ALLURE

- Body colour Front grille and shiny black decoration
- Full LED Headlights with automatic high beam assist
- Dual-zone automatic air conditioning
- Adaptative cruise control
- 17" diamond-finish alloy rims
- HD reversing camera with rear parking sensors
- Wireless MirrorScreen with 10" touchscreen Peugeot i-Cockpit® with customisable 10" digital instrument panel
- Dynamic seat Tremezzo grey embossed fabric, with leather effect and quartz stitch detail
- Electrically adjustable and folding exterior mirrors
- Heated Front Seats **(Electric only)**
- Heated Steering Wheel **(Electric only)**
- 11 kW Tri-phase On board charger **(Electric only)**
- Specific 18" alloy wheels **(Electric only)**



GT

Equipment in addition to ALLURE

- Body colour Front grille and shiny black decoration, with illuminated upper section and Lion emblem
- Hands-free access and ignition
- Front parking assistance
- Glossy black window sealing strips
- Alcantara decoration on the door panels and Instrument Panel (
- Driver Sport Pack
- Smart Multi-drive (8 colours)
- Dynamic seat Uzilla grey embossed fabric, with leather effect and with Adamite green stitch detail
- 18" diamond-cut alloy wheels
- Touch screen 10" HD with Connected navigation and wireless Apple CarPlay™ / Android Auto™ & i-toggles
- Sport pedals and aluminium footrest
- Peugeot Matrix LED Headlights

308 HB PRICES

Recommended prices

	CO ₂ * (g/km) (1)	TAX BAND	ANNUAL ROAD TAX	ALLURE	GT
HYBRID					
HYBRID 145BHP e-DCS6	109-112	A5 – B6	€180 - €190	€33,995**	€38,495**
DIESEL					
BlueHDi 130bhp EAT8	131 – 135	B2	€210	€38,495**	-
Electric					
Electric 58kWh 156bhp	0	A	€120	€36,390***	€39,190***

- WLTP data currently being approved. Minimum - maximum mixed WLTP CO₂ emissions on the engine. The CO₂ emissions from the vehicle depend on the version selected as well as the options on the vehicle.
- **Dealer delivery related charges, metallic paint and tyre recycling levy not included.
- ***Includes SEAI grant and VRT rebate

(1) The CO₂ emissions entered are mixed and expressed in grams per kilometre. The fuel consumption and CO₂ emission values provided comply with WLTP approval (EU regulation 2017/948). Since 1 September 2018, new vehicles are approved on the basis of the worldwide harmonised light-duty vehicles test procedure (WLTP), which is a new, more realistic test procedure to measure fuel consumption and CO₂ emissions. This WLTP procedure fully replaces the New European Driving Cycle (NEDC), which was the previous test procedure. As the test conditions are more realistic, the fuel consumption and CO₂ emissions measured according to the WLTP procedure are, in many cases, higher than those measured according to the NEDC procedure. The fuel consumption and CO₂ emission values may vary depending on specific equipment, options and types of tyres. Contact your point-of-sale for more information. More information on www.peugeot.ie

308 SW PRICES

Recommended prices

	CO ₂ * (g/km) (1)	TAX BAND	ANNUAL ROAD TAX	ALLURE	GT
HYBRID					
HYBRID 145BHP e-DCS6	111 - 115	B6	€190	€36,695**	€40,695**
DIESEL					
BlueHDi 130bhp EAT 8	131 – 135	B2	€210	€39,995	-
Electric					
Electric 58kWh 156bhp	0	A	€120	€37,320***	€40,145***

- WLTP data currently being approved. Minimum - maximum mixed WLTP CO₂ emissions on the engine. The CO₂ emissions from the vehicle depend on the version selected as well as the options on the vehicle.
- **Dealer delivery related charges, metallic paint and tyre recycling levy not included.
- ***Includes SEAI grant and VRT rebate

(1) The CO₂ emissions entered are mixed and expressed in grams per kilometre. The fuel consumption and CO₂ emission values provided comply with WLTP approval (EU regulation 2017/948). Since 1 September 2018, new vehicles are approved on the basis of the worldwide harmonised light-duty vehicles test procedure (WLTP), which is a new, more realistic test procedure to measure fuel consumption and CO₂ emissions. This WLTP procedure fully replaces the New European Driving Cycle (NEDC), which was the previous test procedure. As the test conditions are more realistic, the fuel consumption and CO₂ emissions measured according to the WLTP procedure are, in many cases, higher than those measured according to the NEDC procedure. The fuel consumption and CO₂ emission values may vary depending on specific equipment, options and types of tyres. Contact your point-of-sale for more information. More information on www.peugeot.ie

STANDARD EQUIPMENT 308 & 308 SW

SAFETY & SECURITY

- Adaptive driver and front passenger airbags (passenger airbag can be deactivated with a key), driver and front passenger lateral airbags, front and rear head curtain airbags
- Under-inflation detection
- ESP with Hill Assist function
- ISOFIX attachments in the 2 rear side seats (Top Tether)
- Electric parking brake
- Tyre repair kit: 12-volt compressor, bottle of sealant, tow ring, two-wheel chocks, electric parking brake crank (BEV only)
- Spare Wheel Predisposition (without repair kit) (HYBRID)
- Alarm

DRIVING AIDS

- Adaptive cruise control with Stop & Go function
- Active Safety Brake (pedestrians and cyclists)
- Active lane or roadside departure warning system
- Driver attention alert
- Traffic Sign Recognition
- Rear parking sensors

EXTERIOR AESTHETICS

- Glossy black strip between rear lights
- Body-colour exterior door handles
- Model designation badges front and rear
- Black Diamond' Door Mirrors
- Gloss black B Pillar
- Body coloured rear spoiler



STANDARD EQUIPMENT 308 & 308 SW

COMFORT

- Central armrest with storage compartment
- Dual-zone automatic air conditioning
- Automatic lighting of dipped headlights and automatic front windscreen wipers
- Folding rear bench seat 2/3 - 1/3 (o, 308 hatch)
- 40-20-40 split folding rear seat bench, unlockable from the boot (on SW)
- Two three-button remote controls
- Electrically power assisted steering, steering wheel with manual height and depth adjustment
- Driving mode selector
- One-touch electric front and rear windows with anti-pinch protection
- Electric, heated, electrically folding wing mirrors with LED turn signals
- Extra -tinted Heated rear quarter windows and rear window with timer function, (on SW)

MULTIMEDIA & NAVIGATION

- Two USB-C sockets in the front
- Central 10" touch screen
- Wireless Mirror Screen function (Apple Carplay™ / Android Auto™)
- 12V socket at the front



ALLURE SPECIFICATION

LIGHTING AND VISIBILITY

- Peugeot Full LED headlights with LED daytime running lights above the headlights (NEW)
- Extensive recognition of traffic signs
- Specific rear lights with dynamic claw-to-claw lighting

DRIVING AND MANOEUVRING AIDS

- Adaptive cruise control with Stop & Go function
- Rear parking sensors with HD reversing camera
- Active Safety Brake

EXTERIOR AESTHETICS

- Body colour Front grille and shiny black decoration (NEW)
- Mat black rear bumper skirt
- Black window sealing strips

RIMS AND WHEELS

- 17" 'BANGKOK' diamond-finish alloy rims (NEW)

UPHOLSTERY AND SEATS

- 'Dynamic seat grey embossed fabric, with leather effect and quartz stitch detail (NEW)

COMFORT

- PEUGEOT Open & Go (keyless entry and push button start) (Electric only)
- Tinted rear side windows and rear window
- Row 2 Console Air diffusers



ALLURE SPECIFICATION

MULTIMEDIA AND NAVIGATION

- Two USB-C sockets in the rear console
- Central 10" touch screen
- Wireless Mirror Screen function (Apple Carplay™ / Android Auto™)
- 12V socket at the front

e308 ELECTRIC SPECIFICS

- 18" 'Helsinki' diamond cut alloy wheels
- 11.0 kW Tri-phase On board charger
- Heat Pump
- Battery capacity 58.3 kWh
- Peugeot e-Remote Control with pre-conditioning and deferred charging
- Touch screen 10" HD with Connected navigation and wireless Apple CarPlay™ / Android Auto™ & i-toggles
- Heated steering wheel and heated front seats
- Driving mode selector Eco, Normal or Sport
- e308 electric monogram
- V2L : Vehicle-To-Load (adaptor available in aftersales)



GT SPECIFICATION

Equipment in addition to the Allure

EXTERIOR AESTHETICS

- Peugeot Matrix LED headlights with automatic adjustment
- Illuminated Peugeot emblem and front design
- Lion emblem badging on front wings
- Body colour Front grille and shiny black decoration, with illuminated upper section and Lion emblem
- Aluminium Onyx Black Roof Bars (on SW)

RIMS AND WHEELS

- 18" HELSINKI diamond-cut alloy rims
- 18" SEATTLE diamond-cut alloy wheels on BEV

INTERIOR AESTHETICS

- Black inner roof lining
- Instrument panel with painted edging, Alcantara decoration and green top-stitching
- Aluminium front door sills
- Front/rear floor mats (except E-308 SW)
- Sport pedals and aluminium footrest

UPHOLSTERY AND SEATS

- Dynamic seat Uzilla grey embossed fabric, with leather effect and with Adamite green stitch detail (NEW)
- Height-adjustable driver and passenger seats, lumbar adjustment for driver

COMFORT

- Touch screen 10" HD with Connected navigation and wireless Apple CarPlay™ / Android Auto™ & i-toggles
- Driver Sport Pack: customisation of the instrument panel, amplified and sportier engine sound (can be deactivated)
- Full grain leather steering wheel



WHEELS 308 HB & 308 SW



17" 'Bangkok'
Standard on Allure
(Hybrid 145bhp e-DC6)



18" 'Seattle'
Standard on Allure & GT
Electric only



18" 'Helsinki'
Standard on GT
(Hybrid 145bhp e-DC6)

COLOURS 308 HB

METALLIC PAINT



Lagoa Blue
M0DP
Standard HB Only



Perla Nera
Black
M09V
Optional



Cumulus Grey
M0F4
Optional

METALLIC PAINT



Selenium Grey
M0LD
Optional



Okenite White
M0SU
Optional

PREMIUM PAINT



Red Elixir
M5VH
Optional

Images for illustration purposes only

COLOURS 308 SW

METALLIC PAINT



Ingaro Blue
M07K
Standard SW Only



Perla Nera
Black
M09V
Optional



Cumulus Grey
M0F4
Optional

METALLIC PAINT



Selenium Grey
M0LD
Optional



Okenite White
M0SU
Optional

PREMIUM PAINT



Red Elixir
M5VH
Optional

UPHOLSTERY 308 & 308 SW



Dynamic seat grey embossed fabric, with leather effect and quartz stitch detail
(Z7FX)

Standard on Allure



Dynamic seat Uzilla grey embossed fabric, with leather effect and with Adamite green stitch detail
(Z1FX)

Standard on GT

OPTIONS

Recommended prices including VAT

Metallic paint:

0MM0 €970

Premium paint:

0MM5/6 €1,200

ALLURE

GT



OPTION PACKS

360° Vision & Drive Assist Pack

360° Colour 4 Camera System with front parking sensors

1G18 €1,125



360° Vision & Drive Assist Plus Pack

- 360° Colour 4 Camera System with front parking sensors
- 3D Digital Instrument Panel
- Clean Cabin System

J60C €1,100



Sensation Pack

- Panoramic Opening Glass Sunroof (TC07)
- FOCAL® Hi-Fi (6F04)

Not available on E-308 GT

J6WZ €2,475



Connectivity Pack

- Connected Navigation
- i-Toggles
- Smartphone wireless charging

Standard on E-308 Allure

J6HV €935



OPTIONS

Recommended prices including VAT

ALLURE

GT

OPTION PACKS

Comfort Pack

High Load Retention Net
2-Position Boot

(SW Only)

J612

€450

○

-

360° Vision & Drive Assist Plus & Smart Electric Tailgate Pack

- 360° Colour 4 Camera System
- 3D Digital Instrument Panel
- Clean Cabin System
- Drive Assist Pack Plus — Rear Cross Traffic Alert, Long Range Blind Spot Detection & Lane Position Assist
- Smart Electric Tailgate with foot sensor and pedestrian detection

(SW Only)

J6N9

€1,620

-

○

Panoramic Opening Glass Sunroof

E-308 GT
hatchback only

TC07

€1,465

-

○

Peugeot Open & Go Keyless Entry System

YD04

€340

○

-

Heated Steering Wheel

I301

€340

○

-

DETAIL OF EQUIPMENT



3D DIGITAL DISPLAY

Entirely configurable and customisable, the 3D digital display projects information on two levels. Depending on the importance of the information, it can be displayed dynamically, closer or further away from the driver's view. This improves the driver's response time by around half a second.



CUSTOMISABLE VIRTUAL I-TOGGLES

A second touch screen can be added to the central 10" touch screen so that you can create your own shortcuts. In this way, you can customise shortcuts for air conditioning, contacts, a radio station, an app, etc.

DETAIL OF EQUIPMENT

FOCAL® HI-FI PREMIUM SYSTEM



FOCAL® PREMIUM HI-FI SYSTEM

The FOCAL® Premium Hi-Fi System consists of 10 new-generation speakers, a new subwoofer and reinforced amplification. The 12-channel amplifier delivers 690W of power.

CLEAN CABIN

The Clean Cabin is a complete incoming air management system that acts in accordance with pollution inside and outside the vehicle. Thanks to its HE filter; it purifies the interior air in just a few minutes.

Through the central screen, the driver can access the interior air quality index calculated thanks to a particle sensor.

DETAIL OF EQUIPMENT



DRIVE ASSIST PLUS

This system combines the adaptive speed regulator (ACC Stop & Go on automatic gearbox) and Lane Position Assist (LPA) to manage driving in semi-autonomous mode in specific conditions. The vehicle manages steering and speed.

The driver selects a reference speed in in the ACC (from 0 kph) and activates LPA. The system records the vehicle's position on the road (in the middle, left or right). To remain active, the system requires the driver to keep their hands on the steering wheel but without having to steer it. The driver can take back control at any time by acting on the steering wheel (to cancel LPA) or braking (to cancel ACC Stop & Go).



PEUGEOT MATRIX LED TECHNOLOGY

The system, which is standard on GT level, automatically adjusts the light beams to the driving conditions, maintaining optimal lighting without disturbing other road users (such as vehicles coming the opposite way or vehicles in front).

The system operates at night in unlit areas (<math>< 5 \text{ lux}</math>) when the vehicle's speed is above 40 kph.

The system has five lighting modes for each driving situation.

TECHNICAL CHARACTERISTICS - HB

New PEUGEOT 308 HATCHBACK

	ELECTRIQUE Electric 156 ch 58 kWh battery	PLUG-IN HYBRID Plug-in Hybrid 195 e-DCS7 €6ebis	HYBRID Hybrid 145 e-DCS6 €6ebis
Longueur (m)	4.36	4.36	4.36
Width (m)	1.85	1.85	1.85
Height (m)	1.46	1.44	1.44
Wheelbase (m)	2.67	2.73	2.73
Turning diameter (m)	10.95	10.95	10.95
Trunk volume (dm ³ VDA / water Liters)	361	314	412
Cx / SCx	0,27 / 0,617	0,29 / 0,654	0,28 / 0,626
Fuel tank capacity (L)	-	40	52

ENGINE

Fiscal power (CV)	4	8	7
Technology (electric)	Hybrid Synchronous Motor	Synchronous with permanent magnet	-
Displacement (cm ³)	-	1,598	1,199
Number of cylinders / Arrangement	-	4 in ligne	3 in ligne
Number of valves per cylinder	-	4	4
Injection type	-	Direct	Direct
ICE - Maximum power (kW ECE / hp ECE at rpm)	-	110 / 150 @ 5 500	100 / 136 à 5 500
ICE - Maximum torque (Nm ECE at rpm)	-	250 @1750	230 @ 1750
e-motor - Maximum power (kW ECE/ch at rpm)	115 / 156 @ 4070	92 / 125 @ 2 500	15,6 / 21 à 4 264
e-motor - Maximum torque (Nm ECE at rpm)	270 @ 500 to 4060	118 @ 300 to 7 320	51 @ 750 to 2 499
Plug-in Hybrid - Combined maximum power (kW ECE/ch at rpm)	-	144/195	107/145
Plug-in Hybrid - Combined maximum torque (Nm ECE at rpm)	-	360	-
Service interval	25 000 km or 2 years	25 000 km or 2 years	25 000 km or 2 years

TRANSMISSIONS

Type	Automatic	Automatic / two-wheel drive	Automatic dual clutch
Number of gears	1 gear reductor	7	6

BATTERY

Technology (electric)	Lithium-ion (CATL NMC Rich)	Lithium-ion	Lithium-ion
Number of modules	17	8	-
Total capacity (kWh)	58.3	17.2	0.876
Weight (kg)	372.9	141	12.1
Total voltage (V)	400	400	48

WEIGHTS & LOADS

Kerb weight (kg)	1674	1635	1382
Weight in running order (kg)	1749	1710	1457
Maximum authorized weight (kg)	2115	2140	1950
Maximum towing weight (kg)	80	1360	1150
Maximum permissible rolling weight (kg)	2190	3500	3110

**Provisional WLTP data under homologation. Minimum - maximum combined WLTP CO₂ emissions on the engine. The vehicle's CO₂ emissions depend on the version chosen and the options fitted to the vehicle.

(1) The CO₂ emissions given are combined and expressed in grams per kilometer. The fuel consumption and CO₂ emission values indicated are in accordance with the WLTP homologation (EU Regulation 2017/948). Since 1 September 2018, new vehicles have been type-approved on the basis of the globally harmonised test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for measuring fuel consumption and CO₂ emissions. This WLTP procedure completely replaces the New European Driving Cycle (NEDC), which was the test procedure used previously. As the test conditions are more realistic, the fuel consumption and CO₂ emissions measured according to the WLTP procedure are in many cases higher than those measured according to the NEDC procedure. Fuel consumption and CO₂ emission values may vary depending on specific equipment, options and tyre types. Be sure to contact your point of sale for more information. More information at www.peugeot.ie

TECHNICAL CHARACTERISTICS - HB

New PEUGEOT 308 HATCHBACK

ELECTRIQUE
Electric 156 ch 58 kWh battery

PLUG-IN HYBRID
Plug-in Hybrid 195 e-DCS7 €6ebis

HYBRID
Hybrid 145 e-DCS6 €6ebis

PERFORMANCE (Driver only)(*)

Maximum speed (km/h)	170	225	210
0-100 kph (s)	9.3	7.6	8.8
1 000 m standing start(s)	30.4	27.5	30
30 to 60 km/h in Drive (s)	2.4	1.9	2.5
60 to 90 km/h in Drive (s)	3.3	2.5	3.6
80 to 120 km/h in Drive (s)	6.1	4.6	6.4

WLTP RANGE. CONSUMPTION & EMISSIONS (*)

Mixed WLTP range (km)	443 - 450	up to 85	-
Mixed WLTP cycle consumption (kWh/100 km)	14,9 - 15,1	-	-
Urban WLTP range (km)	558 - 575	jusqu'à 97	-
Urban WLTP cycle consumption (kWh / 100 km)	11,7 - 12,0	-	-
WLTP combined consumption (l/100km)	-	2,2 - 2,3	4,8 - 5
WLTP combined CO2 emissions (g/km)	-	50 - 53	107 - 113
Driving Sound level (dB)	66	65	68

CHARGING (@ 20°C. Electric from 20% to 80%. Plug-in from 0% to 100%)

Maximum AC capacity (kW)	11	3,7 / 7,4 (Option)	-
Maximum DC capacity (kW)	100	-	-
Charging time on home socket 10A 2,3 kW AC (h)	17h55	7h25	-
Charging time on Green'Up reinforced home socket 14A 3,2 kW AC (h)	10h25	5h05	-
Charging time on charging station 7.4 kW AC (h)	5h05	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)	-
Charging time on charging station 11 kW AC (h)	3h35	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)	-
Charging time on charging station 22 kW AC (h)	3h35	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)	-
Charging time on fast charging DC station (min)	32 min	-	-

WHEELS & TIRES

Type of tyres (standard or option, depending on version)	215/45 R18	225/45 R17 V 225/40 R18 Y	205/55 R16 V 225/45 R17 V 225/40 R18 Y
	Michelin	Michelin	Goodyear (R16) & Michelin (R17 et R18)

BRAKE & SUSPENSIONS

Type of front / rear brakes	Discs 304 mm / Discs 290 mm	Discs 330x30 mm / Discs 290x12 mm	Discs 283 / Discs 268 mm
Type of front / rear suspension	Pseudo Mc Pherson/Rear axle with Panhard rod	Pseudo Mac-Pherson/Twist beam	Pseudo Mac-Pherson/Twist beam

*Combined power of thermal engine (100 kW) and e-motor (21 kW)

*Single driver performance

**Provisional WLTP data under homologation. Minimum - maximum combined WLTP CO2 emissions on the engine. The vehicle's CO2 emissions depend on the version chosen and the options fitted to the vehicle.

(1) The CO2 emissions given are combined and expressed in grams per kilometer. The fuel consumption and CO2 emission values indicated are in accordance with the WLTP homologation (EU Regulation 2017/948). Since 1 September 2018, new vehicles have been type-approved on the basis of the globally harmonised test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for measuring fuel consumption and CO2 emissions. This WLTP procedure completely replaces the New European Driving Cycle (NEDC), which was the test procedure used previously. As the test conditions are more realistic, the fuel consumption and CO2 emissions measured according to the WLTP procedure are in many cases higher than those measured according to the NEDC procedure. Fuel consumption and CO2 emission values may vary depending on specific equipment, options and tyre types. Be sure to contact your point of sale for more information. More information at www.peugeot.ie

TECHNICAL CHARACTERISTICS - SW

New PEUGEOT E-308- SW

TBD : To Be Defined

	ELECTRIC ElectriC 156 ch 58 kWh battery	PLUG-IN HYBRID Plug-in Hybrid 195 e-DCS7 €6ebis	HYBRID Hybrid 145 e-DCS6 €6ebis
Longueur (m)	4.64	4.64	4.64
Width (m)	1.46	1.44	1.44
Height (m)	1.46	1.48	1.48
Wheelbase (m)	2.73	2.73	2.73
Turning diameter (m)	11.13	11.13	11.13
Trunk volume (dm ³ VDA / water Liters)	505	467	552/599 (P2P)
Cx / SCx	0,27 / 0,612	0,29 / 0,640	0,28 / 0,616
Fuel tank capacity (L)	-	40	52
ENGINE			
Fiscal power (CV)	4	8	7
Technology (electric)	Hybrid Synchronous Motor	Synchronous with permanent magnet	-
Displacement (cm ³)	-	1,598	1,199
Number of cylinders / Arrangement	-	4 in ligne	3 in ligne
Number of valves per cylinder	-	4	4
Injection type	-	Direct	Direct
ICE - Maximum power (kW ECE / hp ECE at rpm)	-	110 / 150 @ 5 500	100 / 136 @ 5 500
ICE - Maximum torque (Nm ECE at rpm)	-	250 @ 1750	230 @ 1 750
e-motor - Maximum power (kW ECE/ch at rpm)	115 / 156 @ 4070	92 / 125 @ 2 500	15,6 / 21 @ 4 264
e-motor - Maximum torque (Nm ECE at rpm)	270 de 500 @ 4060	118 @ 300 to 7 320	51 @ 750 to 2 499
Plug-in Hybrid - Combined maximum power (kW ECE/ch at rpm)	-	144 / 195	107/145
Plug-in Hybrid - Combined maximum torque (Nm ECE at rpm)	-	360	-
Service interval	25 000 km ou 2 years	25 000 km ou 2 years	25 000 km ou 2 years
TRANSMISSIONS			
Type	Automatic	Automatic	Automatic
Number of gears	1 gear reductor	7	6
BATTERY			
Technology (electric)	Lithium-ion (CATL NMC Rich)	Lithium-ion	Lithium-ion
Number of modules	17	8	-
Total capacity (kWh)	58.3	17.2	0.876
Weight (kg)	372.9	141	12.1
Total voltage (V)	400	400	48

*Single driver performance

**Provisional WLTP data under homologation. Minimum - maximum combined WLTP CO₂ emissions on the engine. The vehicle's CO₂ emissions depend on the version chosen and the options fitted to the vehicle.

(1) The CO₂ emissions given are combined and expressed in grams per kilometer. The fuel consumption and CO₂ emission values indicated are in accordance with the WLTP homologation (EU Regulation 2017/948). Since 1 September 2018, new vehicles have been type-approved on the basis of the globally harmonised test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for measuring fuel consumption and CO₂ emissions. This WLTP procedure completely replaces the New European Driving Cycle (NEDC), which was the test procedure used previously. As the test conditions are more realistic, the fuel consumption and CO₂ emissions measured according to the WLTP procedure are in many cases higher than those measured according to the NEDC procedure. Fuel consumption and CO₂ emission values may vary depending on specific equipment, options and tyre types. Be sure to contact your point of sale for more information. More information at www.peugeot.ie

TECHNICAL CHARACTERISTICS - SW

New PEUGEOT E-308- SW

TBD : To Be Defined


	ELECTRIC ElectriC 156 ch 58 kWh battery	PLUG-IN HYBRID Plug-in Hybrid 195 e-DCS7 €6ebis	HYBRID Hybrid 145 e-DCS6 €6ebis
WEIGHTS & LOADS			1427
Kerb weight (kg)	1708	1675	1435
Weight in running order (kg)	1783	1750	2005
Maximum authorized weight (kg)	2175	2185	1105
Maximum towing weight (kg)	80	1315	1100
Maximum permissible rolling weight (kg)	2200	3500	3110
PERFORMANCE (Driver only)(*)			
Maximum speed (km/h)	9.5	225.0	9.0
0-100 kph (s)	10.2	27.7	30.2
1 000 m standing start(s)	30.6	28.8	30.5
30 to 60 km/h in Drive (s)	2.5	1.9	3.7
60 to 90 km/h in Drive (s)	3.4	2.5	6.5
80 to 120 km/h in Drive (s)	6	5	6
WLTP RANGE. CONSUMPTION & EMISSIONS (*)	438 - 444		
Mixed WLTP range (km)	15,1 - 15,3	up to 85	-
Mixed WLTP cycle consumption (kWh/ 100 km)	549 - 562	jusqu'à 96	-
Urban WLTP range (km)	11,9 - 12,2	up to 99	-
Urban WLTP cycle consumption (kWh / 100 km)	TBD	2,2 - 2,3	-
WLTP combined consumption (l/100km)	-	51-53	4,8 - 5,1
WLTP combined CO2 emissions (g/km)	-	57 - TBD	109 - 115
Driving Sound level (dB)	66	65	68
CHARGING (@ 20°C. Electric from 20% to 80%. Plug-in from 0% to 100%)			
Maximum AC capacity (kW)	11	3,7 / 7,4 (Option)	-
Maximum DC capacity (kW)	100	-	-
Charging time on home socket 10A 2,3 kW AC (h)	17h55	7h25	-
Charging time on Green'Up reinforced home socket 14A 3,2 kW AC (h)	10h25	5h05	-
Charging time on charging station 7.4 kW AC (h)	5h05	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)	-
Charging time on charging station 11 kW AC (h)	3h35	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)	-
Charging time on charging station 22 kW AC (h)	3h35	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)	-
Charging time on fast charging DC station (min)	32 min	-	-
WHEELS & TIRES			
Type of tyres (standard or option. depending on version)	215/45 R18 V	225/45 R17 V 225/40 R18 Y	205/55 R16 V 225/45 R17 V 225/40 R18 Y
	Michelin	Michelin	Goodyear (R16) & Michelin (R17 et R18)
BRAKE & SUSPENSIONS			
Type of front / rear brakes	Discs 304 mm / Discs 290 mm	Discs 330x30 mm / Discs 290x12 mm	Discs 304 / Discs 268 mm
Type of front / rear suspension	Pseudo Mc Pherson / Rear axle with Panhard rod	Pseudo Mac-Pherson/Twist beam	Pseudo Mac-Pherson/Twist beam

**Provisional WLTP data under homologation. Minimum - maximum combined WLTP CO2 emissions on the engine. The vehicle's CO2 emissions depend on the version chosen and the options fitted to the vehicle.

(1) The CO2 emissions given are combined and expressed in grams per kilometer. The fuel consumption and CO2 emission values indicated are in accordance with the WLTP homologation (EU Regulation 2017/948). Since 1 September 2018, new vehicles have been type-approved on the basis of the globally harmonised test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for measuring fuel consumption and CO2 emissions. This WLTP procedure completely replaces the New European Driving Cycle (NEDC), which was the test procedure used previously. As the test conditions are more realistic, the fuel consumption and CO2 emissions measured according to the WLTP procedure are in many cases higher than those measured according to the NEDC procedure. Fuel consumption and CO2 emission values may vary depending on specific equipment, options and tyre types. Be sure to contact your point of sale for more information. More information at www.peugeot.ie

DIMENSIONS 308 HB (mm)

EXTERIOR & INTERIOR



A	718
B	597
C1	886
C2	1743
D	857
E	770
E1	1050
E2	524
E3	689
F	891
G	866
H	510
I	452
J	1428
K	1443
L	1367
M	1411
N	129





412 L

314 L
PLUG-IN HYBRID

Images for illustration purposes only

DIMENSIONS e308 HB (mm)

EXTERIOR & INTERIOR





A	718
B	597
C1	886
C2	1743
D	857
E	770
E1	1050
E2	524
E3	689
F	891
G	866
H	510
I	452
J	1428
K	1443
L	1367
M	1411
N	129



361 L

DIMENSIONS 308 SW (mm)

EXTERIOR & INTERIOR



A	718
B	597
C1	886
C2	1743
D	857
E	1026
E1	1029
E2	493
E3	797
F	891
G	882
H	510
I	450
J	1428
K	1443
L	1367
M	1414
N	260



HYBRID & DIESEL :
551 L ⁽¹⁾
598 L ⁽²⁾

PLUG-IN HYBRID 195 HP
467 L

⁽¹⁾ Without Flex-Floor
⁽²⁾ With Flex-Floor




HYBRID & DIESEL :
1449 L ⁽¹⁾⁽³⁾ / 1437 L ⁽¹⁾⁽⁴⁾
1487 L ⁽²⁾⁽³⁾ / 1470 L ⁽²⁾⁽⁴⁾

PLUG-IN HYBRID 195 HP :
1483 L ⁽³⁾ / 1467 L ⁽⁴⁾

⁽¹⁾ Without Flex-Floor
⁽²⁾ With Flex-Floor
⁽³⁾ Without sunroof
⁽⁴⁾ With sunroof

DIMENSIONS e308 SW (mm)

EXTERIOR & INTERIOR



505 L



1402 L

A	718
B	597
C1	886
C2	1743
D	857
E	1026
E1	1029
E2	493
E3	797
F	891
G	882
H	510
I	450
J	1428
K	1443
L	1367
M	1414
N	260

