

PEUGEOT 408

Prices, equipment and technical specifications



Prices applicable from April 2025 E & OE

EQUIPMENT

unlocking)

sensors

ECO LED headlights

& Go function

Aluminium pedals

19" 'Jaspe' diamond cut alloy wheels

Automatic dual zone air conditioning

Peugeot Smartbeam – High Beam Assist

Electrochrome interior mirror with frame



ALLURE

PEUGEOT Open & Go (Keyless entry with 'proximity' locking and

Extended traffic sign recognition, cruise control adaptive with Stop

'Fractil' embossed fabric with 'Isabella' leather effect trim

180° Colour Reversing Camera with wash system with rear



GT Equipment in addition to the Allure

Ambient Lighting - choice of 8 colours

Drive Assist Plus Pack - Adaptive cruise control with Stop & Go function, helps maintain speed lane position

Peugeot i-Cockpit[®] with customizable 10" 3D digital instrumentation

PEUGEOT Virtual i-Toogles – customisable

Peugeot Matrix LED Technology headlights

Heated steering wheel

Smart Electric Tailgate - foot operated with pedestrian detection

19" 'Graphite' diamond cut alloy wheels

'GT' model designation badging (HYBRID)

BELOMKA' fabric with 'ISABELLA' leather effect and cloth seat

Luxury carpet mats with 'Adamite' green stitching

Price

Equipment and finishes

Paint and upholstery

Options

Detail of equipment

Technical specifications

I		C0² * (g/km) ⁽¹⁾	TAX BAND	ANNUAL ROAD TAX	ALLURE	GT
	HYBRID					
	HYBRID 136 e-DSC6	114 — 115	A6	€190	€38,995**	€42,995**
	PLUG-IN HYBRID					
	Plug-in Hybrid 225 e-EAT8	31-25	A1	€140	€45,995**	€49,995**

WLTP data currently being approved. Minimum - maximum mixed WTLP CO2 emissions on the engine The CO2 emissions from the vehicle depend on the version selected as well as the options on the vehicle. **Dealer delivery related charges, metallic paint and tyre recycling levy not included. ***Includes SEAI grant and VRT rebate

(1) The CO2 emissions entered are mixed and expressed in grams per kilometre. The fuel consumption and CO₂ emission values provided comply with WLTP approval (EU regulation 2017/948). Since 1 September 2018, new vehicles are approved on the basis of the worldwide harmonised light-duty vehicles test procedure (WLTP), which is a new, more realistic test procedure to measure fuel consumption and CO₂ emissions. This WLTP procedure fully replaces the New European Driving Cycle (NEDC), which was the previous test procedure. As the test conditions are more realistic, the fuel consumption and CO₂ emissions measured according to the WLTP procedure are, in many cases, higher than those measured according to the NEDC procedure. The fuel consumption and CO₂ emission and types of tyres. Contact your point-of-sale for more information. More information on <u>www.peugeot.ie</u>

STANDARD EQUIPMENT

SAFETY & SECURITY


- Airbags: Adaptive driver and front passenger airbags (includes passenger airbag deactivation function)
- Airbags: Driver and front passenger side airbag, Front & rear curtain airbags
- Alarm Perimeter, Volumetric and Anti-lift
- Isofix child seat fittings (x2) in the second row
- ESP (Electronic Stability Programme) with Hill Start Assist
- Puncture repair and tyre inflation kit
- AVAS: Acoustic Vehicle Alerting System. Generates a sound when travelling at low speed, audible outside the vehicle for pedestrian safety. Standard on all Hybrid & BEV versions

ADVANCE SECURITY

- Automatic emergency braking (Active Safety Brake) with collision risk warning,
- Automatic emergency braking day and night (camera & radar)
- Active alert for involuntary lane and low crossing side,
- Extended recognition of traffic signs and speed recommendations,
- Driver attention alert

COMFORT & CONVENIENCE

- Central armrest with storage and cup holder
- Electric parking brake
- One-touch' electric front & rear windows with pinch protection
- Electric power steering with reach and rake manually adjustable steering column
- Drive mode selector (PureTech: Eco/Normal/Sport, PLUG-IN HYBRID BEV: Electric/ Hybrid/Sport)
- 12V sockets cabin & boot







Prices

sp

Sei

Detail of equipment

FINISH ALLURE

SAFETY AND SECURITY

- LED daytime running lights under headlights
- Pack Safety Plus Automatic emergency braking day and night (camera & radar)
- Advanced Emergency Braking System (Video-AEB). Includes
 radar (AEBS3) as standard
- Extended Traffic Sign Recognition (ETSR)

COMFORT & CONVENIENCE

- Automatic Dual Zone Air Conditioning
- Dark tinted rear side and tailgate windows
- Electric Folding Door Mirrors
- Electrochrome rearview mirror with frame
- 180° Colour Reversing Camera with wash system & rear sensors
- Drive mode selector
- PEUGEOT Open & Go (Keyless entry with 'proximity' locking and unlocking)





Sei

Prices

Detail of equipment

Technical ecificatior

Prices

d Technical specification

Services and offers

FINISH

GT

Equipment in addition to the Allure

SAFETY AND SECURITY

- PEUGEOT SOS & Assistance
- Lane Positioning Assist

COMFORT & CONVENIENCE

- 10" instrument panel display
- Heated steering wheel
- Driver Sport Pack steering/accelerator/gearbox/digital engine sound (can be deactivated)
- Smart Electric Tailgate foot operated with pedestrian detection
- Smartphone Wireless Charger
- Acoustic laminated front side windows

RIMS AND WHEELS

• 19" 'Graphite' diamond cut alloy wheels





Prices

Equipment and finishes

Paint and upholstery

Options

Detail of equipment

FINISH

GT

Equipment in addition to the Allure

EXTERIOR LIGHTING AND VISIBILITY

- Peugeot Matrix LED Technology headlights
- Full 3D LED rear lights with PEUGEOT
- 'Claw effect' daytime running lights and 'welcome sequence'
- 'GT' model designation badging (HYBRID)

INTERIOR FEATURES

- Aluminium door and boot sill trims
- Ambient Lighting choice of 8 colours
- Cabin stitch detailing in 'Adamite' green
- Electrochrome Interior Mirror
- Full grain leather steering wheel with 'Adamite' green stitching & 'GT' badging
- Iuxury Carpet Mats with 'Adamite' green stitching
- Sun visors featuring concealable vanity mirrors with LED lighting

UPHOLSTERY AND SEATS

• 'BELOMKA' fabric with 'ISABELLA' leather effect and cloth seat





Sei

WHEEL RIMS

Range



Standard on Allure (HYBRID 136 e-DSC6)



19" 'GRAPHITE' Alloy wheel Standard on Allure /GT

(PLUG-IN HYBRID 225 Allure)



20'' MONOLITH Alloy wheel Optional on GT (PLUG-IN Hybrid 225)

PAINT

METALLIC PAINT



Okenite White



Selenium Grey



Black Perla Nera

PREMIUM PAINT



Elixir Red



Obsession Blue


UPHOLSTERY

Range



'FRACTIL' embossed fabric with 'ISABELLA Leather effect trim (D9FX)

Standard on Allure



'BELOMKA' fabric with 'ISABELLA' leather effect and cloth seat (JUFR)

Standard on GT

Prices

Equipment and finishes

Paint and upholstery

Options

Detail of equipment

Technical specifications

OPTIONS Recommended prices

EXTERIOR PAINT					
Metallic Paint		MO-	€900	0	О
Signature Paint		M6-	€1,125	О	О
OPTION PACKS:					
Hi-Fi Pack with wireless charging					
 FOCAL® 10 Speaker Premium Hi-Fi System 2 woofers in front door panels, 2 tweeters in front pillars, 2 woofers + 2 tweeters in rear door panels, 1 central speaker in dashboard (medium), 1 sub-woofer (in boot) 		J6GS	€1,350	-	О
360°Vision Pack					
Visio Park 360° 4 cameras + front & rear parking sensors					
 Rear Traffic detection (blind spot monitoring, long-range lane change assistance and rear cross-traffic alert), Clean Cabin and 3D Quartz 					
Electric heating door mirrors (with temperature sensor) /		Jeoc	€1,125	-	0
 Electric folding / LED Side indicator repeater / Approach lighting / LCA information / Reverse gear indexed / Image projection / Camera Foot Glossy black 					
Visio Park 360° colour 4 camera system, front and rear parking sensors					
 Electric heating door mirrors (with temperature sensor) Electric folding / LED Side indicator repeater / Approach lighting LCA information / Reverse gear indexed / Image projection / Camera Foot Glossy black 		1G18	€1,125	О	-
Panoramic Split Opening Spoiler Sunroof	Not available on HYBRID 136 DCS-6	TC07	€1,475	-	0

The addition of optional extras may result in the vehicle increasing in Co2 g/km and therefore, attracting a higher rate of VRT than described in this product guide. For your exact configuration value, both Co2 g/km and RRP, please contact your local dealer or visit www.peugeot.ie Note: Some options may require other options depending on the item and trim line.

	408	408
External Dimensions	Plug-in Hybrid 225 e-EAT8	Plug-in Hybrid 225 e-DCS7 (09/25)
_ength (m)	4.69	4.69
Nidth (m)	1.85	1.85
Height (m)	1.48	1.48
Wheelbase (m)	2.79	2.79
Turning diameter (m)	11.2	11.2
Boot space in 5-seater configuration (dm3 VDA / L in water)	471 / N.C.	418 / N.C.
Trunk space folded down (dm3 VDA / L in water)	1545 / N.C.	1486 / N.C.
Cx / SCx	0.68	0.67
Fuel tank capacity (L)	42	42
MOTEURS		
Fiscal power (CV)	10	10
Displacement (cm3)	1,598	1,598
Number of cylinders / Arrangement	4 en ligne	4 en ligne
Number of valves per cylinder	4	4
njection type	Directe	Directe
CE - Maximum power (kW ECE / hp ECE at rpm)	132 / 180 à 6 000	132 / 180 à 6 000
CE - Maximum torque (Nm ECE at rpm)	250 à 1 750	250 à 1 750
e-motor - Maximum power (kW ECE / hp ECE at rpm)	81 / 110 à 2 500	92 / 125 à 2 500
e-motor - Maximum torque (Nm ECE at rpm)	320 de 500 à 2 500	118 de 300 à 7 320
Maximum combined power plug-in hybrid (kW CEE/hp)	165 / 225	165 / 225
Service interval	30 000 km ou 1 an	30 000 km ou 1 an
TRANSMISSIONS		
Гуре	Automatic	Automatic
Number of gears	8	7
BATTERY		
Technology	Lithium-ion NMC	Lithium-ion NMC
Number of modules	8	8
Jsable capacity (kWh)	11.3	14.6
Neight (kg)	12.4	17.2
Total voltage (V)	118	

Prices

* WLTP data undergoing certification. CO₂ emissions WTLP mixed minimum-maximum on the engine. The CO₂ emissions of the vehicle depend on the version chosen as well as the options present on the vehicle.

(1) The CO₂ emissions given are mixed and expressed in grams per kilometer. The fuel consumption and CO₂ emission values given are in accordance with WLTP type approval (EU Regulation 2017/948). Since September 1, 2018, new vehicles have been type-approved on the basis of the globally harmonized test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for more realistic test procedure for more information at we prove the New Estimation and CO₂ emissions measured under the WLTP procedure completely replaces the New Estimation. More information at we peet estimate the Neuropean Diriving Cycle (Which was the test procedure used new peeted to a conditions are more realistic, fuel consumption and CO₂ emission subset of equipment, options and the types. Besure to contact your point of sale for more information at we peeted to a subset of equipment.

	S	
	ă	
	ŭ	
	1	
	'n	

* WLTP data undergoing certification. CO ₂ emissions WTLP mixed minimum-maximum on the engine. The CO ₂ emissions of the vehicle depend on the version chosen as well as the options present on the vehicle.
--

(1) The CO₂ emissions given are mixed and expressed in grams per kilometer. The fuel consumption and CO₂ emission values given are in accordance with WLTP type approval (EU Regulation 2017/948). Since September 1, 2018, new vehicles have been type-approved on the basis of the globally harmonized test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for more realistic test procedure for more information at we prove the New Estimation and CO₂ emissions measured under the WLTP procedure completely replaces the New Estimation. More information at we peet estimate the Neuropean Diriving Cycle (Which was the test procedure used new peeted to a conditions are more realistic, fuel consumption and CO₂ emission subset of equipment, options and the types. Besure to contact your point of sale for more information at we peeted to a subset of equipment.

	408	408
	Plug-in Hybrid 225 e-EAT8	Plug-in Hybrid 225 e-DCS7 (F09/25)
WEIGHTS & LOADS		
Kerb weight (kg)	1,706	1,707
Weight in running order (kg)	1,781	1,782
Gross vehicle weight (kg)	2,220	2,210
Maximum towable weight (braked) (kg)	1,400	1,290
Authorized total rolling weight (kg)	3,620	3,500
PERFORMANCE (Driver only)		
Maximum speed (km/h)	233*	233*
0 -100 kph (s)	7.8	7.5
1 000 m standing start(s)	27.6	27.2
30 to 60 km/h in Drive (s)	2.6	1.9
60 to 90 km/h in Drive (s)	2.8	2.7
80 to 120 km/h in Drive (s)	4.5	4.3
WLTP RANGE, CONSUMPTION & EMISSIONS		
Electric range in WLTP combined cycle (km)	63 - 61	84 - 80
Fuel consumption WLTP combined (I/100km)	1,4 - 1,5	0,9 - 1,1
WLTP combined CO2 emissions (g/km)	31-34	19 - 21
RECHARGE (à 20°C Plugin-in de 0% à 100%)		
Maximum AC capacity (kW)	3,7 / 7,4 (Option)	3,7 / 7,4 (Option)
Charging time on charging station 7.4 kW AC (h)	3h25 (chargeur 3,7 kW) / 1h40 (chargeur 7,4 kW)	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)
Charging time on charging station 11 kW AC (h)	3h25 (chargeur 3,7 kW) / 1h40 (chargeur 7,4 kW)	4h20 (chargeur 3,7 kW) / 2h05 (chargeur 7,4 kW)
WHEELS & TIRES		
Type of tyres (standard or option, depending on version)	205/55 R19 97 V / 245/40 R20 99 V	205/55 R19 97 V / 245/40 R20 99 V
Type of tyres (standard of option, depending on version)	Michelin e-Primacy / Goodyear Eagle F1	Michelin e-Primacy / Goodyear Eagle F1
BRAKE & SUSPENSIONS		
Type of front / rear brakes	Disques 330x30 mm / Disques 290x12 mm	Disques 330x30 mm / Disques 290x12 mm
Type of front / rear suspension	Pseudo Mac-Pherson / Traverse déformable	Pseudo Mac-Pherson / Traverse déformable

	PureTech 130 S&S EAT8	HYBRID 136 e-DCS6
MOTORS		
Administrative power (CV)	7	7
Cubic Capacity (CC)	1 199	1 199
Number of cylinders / Layout	3 in-line	3 in-line
Number of valves per cylinder	4	4
Maximum power (kW CEE/HP CEE at rpm)	96/130 at 5 500	100 / 5500
Maximum torque (Nm CEE at rpm)	230 at 1 750	230 at 1750
Stop & Start	Yes	e-AUTO
Regulation Emission Standard	EURO 6.e	EURO 6e
Type of injection	Direct	Direct
TRANSMISSIONS		
Туре	Automatic	Automatic double clutch
Number of gears	8	6
WEIGHTS & LOADS		
Kerbweight (kg)	1393	1469
Gross vehicle weight (kg)	1950	2000
Max. towable weight on 12% gradient (braked) (kg)	1350	1300
Gross train weight (kg)	3300	3300
PERFORMANCE * With 1 driver only		
Top speed (km/h)	210	205
0-100 km/h (s)	10,4	9.4
1,000 m standing start (s)	32	30.6
80 to 120 km/h on Drive (s)	7.6	6.5

Services and offers

* WLTP data undergoing certification. CO₂ emissions WTLP mixed minimum-maximum on the engine. The CO₂ emissions of the vehicle depend on the version chosen as well as the options present on the vehicle.

(1) The CO₂ emissions given are mixed and expressed in grams per kilometer. The fuel consumption and CO₂ emission values given are in accordance with WLTP type approval (EU Regulation 2017/948). Since September 1, 2018, new vehicles have been type-approved on the basis of the globally harmonized test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for measuring fuel consumption and CO₂ emissions. This WLTP procedure set her New European Driving Cycle (which was the test procedure test procedure to realistic, fuel consumption and CO₂ emissions measured under the WLTP procedure are, in many cases, higher than those measured under the NEDC procedure relation. More information and CO₂ emission subjects are more realistic, fuel consumption and CO₂ emission subjects are more realistic. The fuel consumption and CO₂ emission subjects are more realistic. Fuel consumption and CO₂ emission subjects are more realistic fuel consumption and CO₂ emission subjects are more realistic. The fuel consumption and CO₂ emission subjects are more realistic fuel consumption and CO₂ emission subjects are more realistic. Fuel consumption and CO₂ emission subjects are more realistic of sale for more information. More information at <u>www.pergeot.ie</u>

 	PureTech 130 S&S EAT8	HYBRID 136 e-DCS6
WLTP CONSUMPTION & EMISSIONS (1)		
Consumption in WLTP cycle – combined minimum (I/100km)	6,0	5.1-5.2
CO2 emission - combined minimum WLTP (g/km)	136 - 140	114 - 115

WHEELS

Tyre type (standard or optional depending on version)	215/65R17	215/65R17
	205/55R19	205/55R19
	Standard: Pneumatic trouble-shooting kit	Standard: Pneumatic trouble-shooting kit

BRAKES & SUSPENSIONS

Type of front / rear brakes	Ventilated discs with floating caliper and automatic wear adjustment / Floating caliper discs	Ventilated discs with floating caliper and automatic wear adjustment / Floating caliper discs
Front suspension type	Independent wheels - Pseudo-Mac Pherson axle, coil springs and integrated hydraulic dampers, pressurized	Independent wheels - Pseudo-Mac Pherson axle, coil springs and integrated hydraulic dampers, pressurized
Rear suspension type	Semi-independent wheels - Axle with deformable cross member, hydraulic dampers, pressurized	

ELECTRIC MOTOR(S)


Electric motor	1 included in the gearbox
Maximum power (kW CEE/HP CEE)	21kw / 28 HP
Maximum torque (Nm CEE)	55
Voltage Battery	Li-Ion 48V
Battery capacity (kWh) usable / embedded	0,432 / 0,898

* WLTP data undergoing certification. CO₂ emissions WTLP mixed minimum-maximum on the engine. The CO₂ emissions of the vehicle depend on the version chosen as well as the options present on the vehicle.

(1) The CO₂ emissions given are mixed and expressed in grams per kilometer. The fuel consumption and CO₂ emission values given are in accordance with WLTP type approval (EU Regulation 2017/948). Since September 1, 2018, new vehicles have been type-approved on the basis of the globally harmonized test procedure for light vehicles (WLTP), which is a new, more realistic test procedure for measuring fuel consumption and CO₂ emissions. This WLTP procedure completely replaces the Vest for device used previously Because the test conditions are more realistic, fuel consumption and CO₂ emissions measured under the WLTP procedure are, in many cases, higher than those measured under the NEDC procedure Fuel consumption and CO₂ emissions measured under the VLTP procedure are, in many cases, higher than those measured under the NEDC procedure Fuel consumption and CO₂ emission values may vary depending on specific equipment, options and tire types. Be sure to contact your point of sale for more information. More information at <u>www peugeot is</u>

DIMENSIONS 408 (mm)

EXTERIOR & INTERIOR



ICE : 536 L VDA 508L VDA (FOCAL)

PLUG-IN HYBRID : 471 L VDA 454 L VDA (FOCAL)

Prices

Options

Services and offers

