

# **PEUGEOT 3008**

Prices, equipment and technical specifications



## RANGE



### **ALLURE**

Peugeot Panoramic i-Cockpit® with 21" HD curved and floating screen Customisable Virtual 'i-Toggle' display

18" 'MAYA' alloy wheels

360° Vison & Drive assist pack

PEUGEOT Open & Go (Proximity Keyless Entry with Push Button Start)

Wireless MirrorScreen (Apple Car Play & Android Auto)

'Uziris' & 'Irize' embossed fabric with Quartz stitching and leather effect trim

ECO LED Headlights and front and rear signature daytime running lights

Dark tinted privacy glass for rear doors, tailgate and quarter windows

Dual Zone Climate Control with rear air vents

Adaptive Cruise Control with 'Stop & Go'

Smartphone Wireless Charger (15 Watts) with status light

Mode 3 type 2 cable for wall box charging (Electric)

3-phase 11 kW on board charger (Electric)

Heat pump (Electric)



**GT Exclusive**Equipment in addition to ALLURE

PEUGEOT PIXEL LED headlamps with 3-claw LED daytime running lights

Full 3D LED rear lights with PEUGEOT 'Claw effect' daytime running light signature

Embossed Alcantara® REFLECTION upholstery

8-colour extended ambient lighting

'Black Diamond' roof and rear spoiler

Handsfree Smart Electric Tailgate (foot operated)

Heated font seats

Rear central armrest with two cupholders and smartphone holder

360° Vison & Drive assist pack including highway assist 2.0

PEUGEOT shield on front wings

19" diamond cut alloy wheels Hybrid 145 e-DCS6

20" diamond cut alloy wheels (Electric)

'Gloss Black' lower door claddings & widened wheel arches (Electric)

NEW	3008	PRI	CES
Recom	mende	d prie	ces

	<b>C0z*</b> (g/km) (1)	TAX BAND	ANNUAL ROAD TAX	ALLURE	GT EXCLUSIVE
ELECTRIC  Electric engine 210 hp (157 kW)-Battery 73 kWh	0-0	Α	€120	€45,435***	€50,795***
HYBRID					
Hybrid 145 e-DCS6 - 6-speed Dual Shift Clutch Automatic Transmission	124-130	B1	€200	€45,495	€49,495

WLTP data currently being approved. Minimum-maximum mixed WTLP CO2 emissions on the engine The CO2 emissions from the vehicle depend on the version selected as well as the options on the vehicle.

\*\*Dealer delivery related charges, metallic paint and tyre recycling levy not included.

\*\*Includes SEAI grant and VRT rebate & Dealer delivery related charges, metallic paint and tyre recycling levy not included.

# **SAFETY**

### 6 Airbags

Front passenger airbags (includes passenger airbag deactivation function), driver and front passenger side airbag, front & rear curtain airbags.

ESP (Electronic Stability Program) with Hill Start Assist & indirect under inflation detection

ISOFIX and Top Tether fasteners on rear side seats Electric parking brake

Pneumatic emergency kit (12-volt compressor, sealant bottle, towing eye, 2 wheels chocks)


PEUGEOT LED Technology headlamps with 3-claw LED daytime running lights

Rear 3-claws LED 3D lights

### **ADVANCED SAFETY**

VisioPark 2: 360° Vision with 4 exterior cameras with front and rear sensors

- Adaptive Cruise Control with 'Stop & Go'
- Advanced Emergency Braking System with video camera & radar (AEBS3)
- Active Lane Keeping Assist
- Blind spot monitoring
- Rear cross traffic alert (RCTA)
- Extended traffic sign recognition and speed recommendations
- Driver attention alert
- PEUGEOT SOS & Assistance





## **EXTERIOR AESTHETIC**

### Style attributes

- Black lacquered strip between the headlights with '3008' logo'.
- Body-coloured front grille, glossy black side scoops, Meteor Grey lower decor, black grained lower skirt
- Dark tinted rear windows, quarter windows, & tailgate window
- Black grained wheels arch claddings & door lower protections.
- Glossy black strip between the rear lights with « PEUGEOT » lettering
- Rear bumper with Meteor Grey decor & black grained lower skirt
- Body- coloured rear spoiler
- '3008' & 'Hybrid' monograms
- 'E3008' rear monogram (Electric)

# WHEELS & RIMS

19" diamond-cut alloy wheels – Electric

18" alloy wheels - Hybrid





# **INTERIOR AESTHETIC**

Peugeot Panoramic i-Cockpit® with 21" HD curved and floating screen

PEUGEOT i-Cockpit®: Compact multifunction steering wheel finished in full grain leather with coloured stitching, gloss black and satin chrome detailing

Black interior & headliner

## **COMFORT & CONVENIENCE**

Keyless entry with 'proximity' locking and unlocking

Bi-zone automatic air conditioning with rear air vents

Automatic dual-zone air conditioning

### Interior lighting

- Front & rear reading LED lights
- Glovebox & centrale console storage illuminated with LED
- Front footwell LED lights

Automatic front wipers

Sequential electric front & rear windows with anti-pinch feature

2-position trunk floor

Heated, electric folding door mirrors with courtesy approach lighting

Electrochromic rearview mirror with frame

Dark tinted rear side and tailgate window



## **UPHOLSTERY & SEATS**

Driver & passenger seats with manual height adjustment Rear seats with folding backrest (40/20/40)

'Uziris' & 'Irize' embossed fabric with Quartz stitching and leather effect trim

## **MULTIMEDIA & NAVIGATION**

PEUGEOT i-Connect® Advanced

- 3D connected Navigation
  - Radio DAB, Bluetooth® (2 smartphones connexion), wireless Mirror Screen (Apple CarPlay™ / Android Auto™)
  - Peugeot Connect SOS & Assistance
  - 1 USB-C socket (data and charging), 1 USB-C socket (charging)
  - 'Over the air' map updates
  - Customisable Virtual 'i-Toggle' display

Smartphone Wireless Charger (15 Watts) with status 6 speakers

2 tweeters & 2 woofers at the front, 2 wide-band speakers at the rear

3 x 12 V sockets (centre console, rear of centre console, boot)

## **ELECTRIC SPECIFICITIES**

3-phase Mode 3 electrical charging cable 3-phase 11 kW on board charger Heat pump





### GT EXCLUSIVE TRIM Equipment's in addition to ALLURE equipment

### **SAFETY**

PEUGEOT PIXEL LED headlamps with 3-claw LED daytime running lights

Adaptive High Beam Assist with Anti-Glare function and Boost function

Full 3D LED rear lights with PEUGEOT 'Claw effect'

## **DRIVING AND MANOEUVRING AIDS**

**Drive Assist Pack** 

- Adaptive Cruise Control with Stop & Go function
- Driver Attention Alert (DAA3)
- Long Range Blind Spot Monitoring
- Rear Cross Traffic Alert (RCTA)
- Highway Assist 2.0

VisioPark 2: 360° Vision with 4 exterior cameras with front and rear sensors

## WHEELS AND RIMS

19" diamond-cut alloy wheels Hybrid 145 e-DCS6 20" diamond-cut alloy wheels (Electric)





## GT EXCLUSIVE TRIM Equipment's in addition to ALLURE equipment

### **INTERIOR AESTHETICS**

Peugeot Panoramic i-Cockpit® with 21" HD curved and floating screen

Night & day indirect ambient lighting on the dashboard, front door panels, and under the 21" panoramic screen, associated with driving modes, customisable in 8 colours

Aluminium printed dashboard and front door panel 'alcove' decor

PEUGEOT i-Cockpit®: Compact heated multifunction steering wheel finished in full grain leather with 'lced Clay' stitching, gloss black and satin chrome detailing & 'GT' badge

Aluminum pedals & footrest

Stainless steel front door sill with 'PEUGEOT' lettering

Front & rear floor mats with Iced Clay stitching & 'GT' logo

### **COMFORT**

Interior lighting

• Concealable driver and passenger vanity mirrors with LED lights

Rear central armrest with two cupholders and smartphone holder

Powered tailgate with hands-free access

Heated steering wheel

Electrochromic rear-view mirror with frame





## **GT EXCLUSIVE TRIM** Equipment's in addition to ALLURE equipment

## **UPHOLSTERY & SEATS**

Alcantara® Executive interior - AGR\*-certified electrically adjustable driver and passenger seats, manual seat length adjustment, adaptive lateral support, pneumatic lumbar adjustment, driver memory settings Heated and massaging driver and passenger seats Heated rear side seats

Front headrests with integrated height adjustment

# **MULTIMEDIA & NAVIGATION**

### PEUGEOT i-Connect® Advanced

- 3D connected Navigation
- TomTom® connected navigation services (TomTom® Traffic, fuel prices, parking, weather, Local search), EV routing with charging scheduling (Electric), Danger zone Alerts with 6-month subscription included
- Natural language voice recognition
- 4 USB: 1 USB-C (Data & Charging), 1 USB-C (Charging) at front, 2 USB-C (Charging) at rear

PEUGEOT Virtual i-Toggles with 10 customizable shortcuts

Wireless smartphone charger (15 W)

For smartphone compatibility, consult your sales point



# **WHEELS**





Standard on Allure (Hybrid 145 e-DSC6)



19" 'YARI' alloy diamond-cut wheels

BREDA, Orbital Black glossy finish

Standard on GT Exclusive (Hybrid 145 e-DSC6)



19" 'Fuji' alloy diamond-cut wheels

LULEA, Orbital Black glossy finish

Standard on Allure (Electric 210hp)



### 20" 'YOSEMITE' alloy diamond-cut wheels

SOFIA Orbital Black matte finish, with aero inserts glossy finish

Standard on GT Exclusive (Electric 210bhp)

# **BODY COLOURS**

**METALLIC PAINT** 



**Obsession Blue**MODP—free Paint



**Okenite White** MOSU - Option



**Ingaro Blue** M07K - Option



Cumulus (Light) Grey M0F4 - Option



Perla Nera Black M09V - Option



**Titane Grey** MO1J - Option

# **UPHOLSTERY OPTIONS**




Embossed CRISPY fabric upholstery, TEP Isabella support, RIMINI fabric scarf, Quartz stitching

W6FX



Embossed Alcantara® REFLECTION upholstery, TEP Isabella, heathered RIMINI fabric scarf, Iced Clay stitching

X0FX/WAGT



Black perforated Nappa leather upholstery

4HFX

OP.	ΓΙΟ	NS
_		

# Recommended prices

### **EXTERIOR PAINT**

Metallic paint - Nera Black (M09V), Titane Grey (M01J), Cumulus Grey (M0F4), Ingaro Blue (M07K), Okenite White (M0SU)

# OMMO €900 •

J6B9 €2,375

**ALLURE** 

**EXCLUSIVE** 

### **OPTION PACKS**

### **SENSATION PACK**

- Panoramic Split Opening Spoiler Sunroof (TC22)
- Clean Cabin (O301) optimised cabin air quality management system
- Focal Premium Hi-Fi System, 10 speakers. Includes laminated and acoustic front windows

### **SAFETY AND SECURITY**

Advanced Grip Control - 3 Driving Modes - Sand, Snow & Mud, and Hill Assist Decent Control (HADC)

DX02 €205 • Electric Version Only

The addition of optional extras may result in the vehicle increasing in Co2 g/km and therefore, attracting a higher rate of VRT than described in this product guide. For your exact configuration value, both Co2 g/km and RRP, please contact your local dealer or visit www.peugeot.ie
Note: Some options may require other options depending on the item and trim line.

# **OPTIONS**

# Recommended prices

			ALLURE	GT EXCLUSIVE
INTERIOR AMBIENCES				
Heated front seats, AGR* certified driver's seat  10-way adjustment Pneumatic lumbar adjustment Powered cushion angle adjustment Manual cushion adjustment Aktion Gesunder Rücken (German Association for Back Health)	WAGP	€450	•	-
<ul> <li>Black perforated Nappa leather upholstery</li> <li>Includes Driver (D) and Passenger (P) Seat Pack (WAGU)</li> <li>'AGR'* 10-way electric adjustment of front seats (D+P)</li> <li>Pneumatic lumbar, powered cushion angle (D+P)</li> <li>Massaging front seats, 5 massage patterns &amp; 3 intensities (D+P)</li> <li>Ventilated seats (D+P)</li> <li>Adaptive bolsters (D+P)</li> <li>Memory function for driver's seat, 2 pre-sets (D)</li> <li>Heated ear seats in addition to heated front seats</li> <li>*AGR – Aktion Gesunder Rücken (German Association for Back Health)</li> </ul>	4НҒХ	€2,840	-	0
EXTERIOR FEATURES				
Tow Bar: With 13-way harness, with TSM (Trailer Sway Mitigation) anti-sway system  Available on elect		€675	o	o

The addition of optional extras may result in the vehicle increasing in Co2 g/km and therefore, attracting a higher rate of VRT than described in this product guide. For your exact configuration value, both Co2 g/km and RRP, please contact your local dealer or visit <a href="https://www.peugeot.ie">www.peugeot.ie</a> Note: Some options may require other options depending on the item and trim line.

### **EQUIPMENT DETAILS**



### PEUGEOT i-Connect® Advanced

PEUGEOT i-Connect® Advanced offers a complete technological experience, with its high-performance and efficient TomTom® connected navigation. For optimum readability, the map can be displayed on the entire touch-sensitive part of the 21" HD screen or on the digital cluster side, and can be updated 'over the air'. "The 'OK PEUGEOT' function, which uses natural language voice recognition, improves safety and ease of use by providing access to all functions.





### **PEUGEOT virtual i-Toggles**

Located on a second touchscreen on the dashboard, the Virtual i-Toggles are shortcuts to 10 main functions: air conditioning control settings, navigation, telephone, radio, wall of applications, etc. The Virtual i-Toggles give access to the permanent homepage shortcut, in first position, while the other five shortcuts can be modified according to the user's choice. A swipe of the screen gives access to 5 additional configurable shortcuts.

\* Included in the Panoramic Navigation pack

## **EQUIPMENT DETAILS**



### **Drive Assist Plus 2.0** (semi-autonomous driving\*)

This system combines 4 functions to manage semi-autonomous driving in

- In system combines 4 functions to manage semi-autonomous driving in specific conditions:
  Adaptive Cruise Control with Stop & Go function and Lane Positioning Assist: the vehicle manages steering and speed.
  Semi-Automated Lane Change: assists the driver in overtaking or changing lanes in complete safety.
  Anticipated speed recommendation: based on the vehicle's connected navigation system, it anticipates speed limit changes and suggests the driver to adapt speed accordingly.

\* Included in the 360° Vision & Drive Assist Plus pack.



### PEUGEOT PIXEL LED Headlamps

Adaptive lighting: the system automatically adapts the headlamp beams to traffic conditions, maintaining optimum lighting with 6 specific modes adapted to each driving situation and 2 curves lighting functions.

Adaptive High Beam Assit: the system switches to high beam as soon as conditions allow. It detects the contours of vehicles ahead and their movement to create an anti-glare zone and avoid dazzling other road users. At high speeds, a boost function increases the light intensity in the centre of the beam.


### **EQUIPMENT DETAILS**



### Adaptative bolsters\*

By inflating or deflating pneumatic inserts located in the side bolsters of the backrests, the system allows front passengers to adjust the lateral support of their electrically adjustable seats\* to suit their body shape and driving conditions: tighter for better support and driving sensations, or looser for optimized comfort. These AGR-certified\*\* front seats are also heated, ventilated and massaged (8 programs, 3 intensities). Heated rear side seats.

\* Included with Executive Mistral interior.
\*\* Aktion Gesunder Rücken (German Association for Back Health)



### Clean Cabin

The Clean Cabin system is a complete incoming air management system that acts on pollution both inside and outside the vehicle. Thanks to its high-efficiency filter, it purifies the air inside the vehicle in just a few minutes. The central screen gives the driver access to the indoor air quality index calculated using a particle sensor.

# **TECHNICAL SPECIFICATIONS**

	Electric 210	Electric 230 Long Range	Electric 325 Dual Motor (4WD)
EXTERNAL DIMENSIONS			
Length (m)	4.542	4.542	4.542
Width (m)	1.895	1.895	1.895
Height (m)	1.641	1.641	1.641
Wheelbase (m)	2.739	2.739	2.739
Turning diameter (m)	10.6	10.6	10.6
Trunk volume behind Row 2 (dm3 VDA / water Liters)	520 / 588	520 / 588	470 / 544
Cx / SCx	0,28 / 0,737	0,28 / 0,743	0,28 / 0,737
Fuel tank capacity (L)	55	55	55

### ELECTRIC MOTOR & NATTERY

ELECTRIC MOTOR & BATTERY			
Fiscal power (CV)	7	7	10
Displacement (cm3)	<u>-</u>	<u>-</u>	<u>-</u>
Number of cylinders / Arrangement	<u>-</u>	<u>-</u>	<u>-</u>
Number of valves per cylinder	_	<u>-</u>	_
Injection type	<u>-</u>	_	-
ICE - Maximum power (kW ECE / hp ECE at rpm)	<u>-</u>	-	-
ICE - Maximum torque (Nm ECE at rpm)	<u>-</u>	<u>-</u>	-
Technology (electric)	Synchronous with permanent magnet	Synchronous with permanent magnet	"2 motors Synchronous with permanent magnet"
e-motor - Maximum power (kW ECE / hp ECE at rpm)	157 / 213 @ 6 000	170 / 231 @ 7 500	Cumulated : 239 / 325 Front : 157 / 213 @ 104 to 6 000 Rear : 83 / 112 @ 14 000
e-motor - Maximum torque (Nm ECE at rpm)	343 @ 250 to 4 370	343 @ 250 to 4 370	Front : 343 @ 250 to 4 370 Rear : 166 @ 1 000 to 4 375
Service interval	25 000 km or 2 years	25 000 km or 2 years	25 000 km or 2 years

### TDANSMISSION

TRANSPISSION			
Type	Automatic	Automatic	Automatic
Number of gears	1	1	1
Driving wheels	Front	Front	All wheel drive

# **TECHNICAL SPECIFICATIONS**

	Electric 210	Electric 230 Long Range	Electric 325 Dual Motor (4WD)
BATTERY			
Technology	Lithium-ion NMC	Lithium-ion NMC	Lithium-ion NMC
Number of modules	12	12	12
Usable capacity (kWh)	73	96.9	73
Weight (kg)	520	562	520
Total voltage (V)	400	400	400
WEIGHTS & LOADS			
Kerb weight (kg)	2,108	2,166	2,262
Weight in running order (kg)	2,183	2,241	2,337
Gross vehicle weight (kg)	2,640	2,690	2,720
Maximum towable weight (braked) (kg)	1,250	1,200	1,350
Authorized total rolling weight (kg)	3,890	3,890	4,070
PERFORMANCE (Driver only)			
Maximum speed (km/h)	170	170	180
0 -100 kph (s)	8.8	8.7	6.0
1 000 m standing start(s)	29.8	29.7	26.5
30 to 60 km/h in Drive (s)	2.4	2.4	1.5
60 to 90 km/h in Drive (s)	2.9	2.8	1.9
80 to 120 km/h in Drive (s)	5.6	5.3	3.8

# **TECHNICAL SPECIFICATIONS**

	Electric 210	Electric 230 Long Range	Electric 325 Dual Motor (4WD)
WLTP RANGE, CONSUMPTION & EMISSIONS			
Mixed WLTP range (km)	529 - 515	701 - 669	490 - 485
Mixed WLTP cycle consumption (kWh/ 100 km)	16,7 - 17,2	17,1 - 18,1	18,0 - 18,2
Jrban WLTP range (km)	657 - 631	903 - 849	603 - 594
Jrban WLTP cycle consumption (kWh / 100 km)	13,4 - 14,0	13,2 - 14,3	14,6 - 14,8
Oriving Sound level (dB)	65	65	64
	11	11	11
flaximum AC capacity (kW)	11 160	11 160	11 160
Maximum AC capacity (kW) Maximum DC capacity (kW)		**	* * * * * * * * * * * * * * * * * * * *
Maximum AC capacity (kW) Maximum DC capacity (kW) Charging time on charging station 7.4 kW AC (h)	160	160	160
CHARGING (@ 20°C. Electric from 20% to 80%, Plug-in from 0% to 100%) Maximum AC capacity (kW) Maximum DC capacity (kW) Charging time on charging station 7.4 kW AC (h) Charging time on charging station 11 kW AC (h) Charging time on charging station 22 kW AC (h)	160 6h45	160 8h55	160 6h45

### WHEELS & TIRES

	235/55 R19 105 V ; 235/50 R20 104 V	/ 235/55 R19 105 V ; 235/50 R20 104 V	235/55 R19 105 V ; 235/50 R20 104 V
Type of tyres (standard or option, depending on version)	Michelin e-Primacy	Goodyear F1 Assymetric ; Michelin e-Primacy	Michelin e-Primacy

### **BRAKE & SUSPENSIONS**

Type of front / rear brakes	Discs 365 x 37 mm / 356 x 26 mm	Discs 365 x 37 mm / 356 x 26 mm	Discs 365 x 37 mm / 356 x 26 mm
Type of front / rear suspension	Pseudo Mac-Pherson /	Pseudo Mac-Pherson /	Pseudo Mac-Pherson /
	Multi-link axle	Multi-link axle	Multi-link axle

### **BRAKE & SUSPENSIONS**

Type of front / rear brakes	Discs 365 x 37 mm / 356 x 26 mm	Discs 365 x 37 mm / 356 x 26 mm	Discs 365 x 37 mm / 356 x 26 mm
Type of front / rear suspension	Pseudo Mac-Pherson /	Pseudo Mac-Pherson /	Pseudo Mac-Pherson /
	Multi-link axle	Multi-link axle	Multi-link axle

# **TECHNICAL SPECIFICATIONS**

	HYBRID
EXTERNAL DIMENSIONS	Hybrid 145 e-DCS6
Length (m)	4.542
Width (m)	1.895
Height (m)	1.641
Wheelbase (m)	2.739
Turning diameter (m)	10.6
Trunk volume behind Row 2 (dm3 VDA / water Liters)	520 / 588
Cx / SCx	0,29 / 0,76
Fuel tank capacity (L)	55

### **FNGINE**

7
1,199
3 in line
4
Direct
100 / 136 @ 5 500
230 @ 1750
-
15,6 / 21 @ 4 264
51 @ 750 to 2 499
-
-
25 000 km or 1 year

### **TRANSMISSION**

Type	Automatic
Number of gears	6
Driving wheels	Front


### RATTEDY


DATIERI	
Technology	Lithium-ion NMC
Number of modules	-
Usable capacity (kWh)	0.4
Weight (kg)	12.1
Total voltage (V)	48

# **TECHNICAL SPECIFICATIONS**

Kerb weight (kg)       1 573 / 1 574 (with OEM tow hook option)         Weight in running order (kg)       1 648 / 1 649 (with OEM tow hook option)         Gross vehicle weight (kg)       2 080 / 2 100 (with OEM tow hook option)         Maximum towable weight (braked) (kg)       1 000 / 1 200 (with OEM tow hook option)         Authorized total rolling weight (kg)       3 080 / 3 300 (with OEM tow hook option)         PERFORMANCE (Driver only)         Maximum speed (km/h)       201         0 -100 kph (s)       10.2         1 000 m standing start(s)       32.5         30 to 60 km/h in Drive (s)       2.8         60 to 90 km/h in Drive (s)       4.0         80 to 120 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         Mixed WLTP cycle consumption (kWh/ 100 km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         UVLTP combined consumption (l/100km)       5,4-5,6         WLTP combined CO2 emissions (g/km)       123 - 135         Driving Sound level (dB)       67         WHEELS & TIRES       225/55 R19 103V         Type of tyres (standard or option, depending on version)       Michelin e-Primacy         BRAKE & SUSPENSIONS       Discs 304x28 mm / 290x12 mm    <		Hybrid 145 e-DCS6
Weight in running order (kg)       1 648 / 1 649 (with OEM tow hook option)         Gross vehicle weight (kg)       2 080 / 2 100 (with OEM tow hook option)         Maximum towable weight (braked) (kg)       1 000 / 1 200 (with OEM tow hook option)         Authorized total rolling weight (kg)       3 080 / 3 300 (with OEM tow hook option)         PERFORMANCE (Driver only)         Maximum speed (km/h)       201         0 -100 kph (s)       10.2         1 000 m standing start(s)       32.5         30 to 60 km/h in Drive (s)       2.8         60 to 90 km/h in Drive (s)       4.0         80 to 120 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         Mixed WLTP range (km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         UrDray WLTP combined consumption (kWh / 100 km)       5,4 - 5,6         WLTP combined CO2 emissions (g/km)       123 - 135         Driving Sound level (dB)       67         WHEELS & TIRES       225/55 R19 103V         Type of tyres (standard or option, depending on version)       Michelin e-Primacy         BRAKE & SUSPENSIONS       Discs 304x28 mm / 290x12 mm	WEIGHTS & LOADS	
Weight in running order (kg)       1 648 / 1 649 (with OEM tow hook option)         Gross vehicle weight (kg)       2 080 / 2 100 (with OEM tow hook option)         Maximum towable weight (braked) (kg)       1 000 / 1 200 (with OEM tow hook option)         Authorized total rolling weight (kg)       3 080 / 3 300 (with OEM tow hook option)         PERFORMANCE (Driver only)         Maximum speed (km/h)       201         0 -100 kph (s)       10.2         1 000 m standing start(s)       32.5         30 to 60 km/h in Drive (s)       2.8         60 to 90 km/h in Drive (s)       4.0         80 to 120 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         Mixed WLTP range (km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         UrDray WLTP combined consumption (kWh / 100 km)       5,4 - 5,6         WLTP combined CO2 emissions (g/km)       123 - 135         Driving Sound level (dB)       67         WHEELS & TIRES       225/55 R19 103V         Type of tyres (standard or option, depending on version)       Michelin e-Primacy         BRAKE & SUSPENSIONS       Discs 304x28 mm / 290x12 mm	Kerb weight (kg)	1 573 / 1 574 (with OEM tow hook option)
Maximum towable weight (braked) (kg)       1 000 / 1 200 (with OEM tow hook option)         Authorized total rolling weight (kg)       3 080 / 3 300 (with OEM tow hook option)         PERFORMANCE (Driver only)         Maximum speed (km/h)       201         0 -100 kph (s)       10.2         1 000 m standing start(s)       32.5         30 to 60 km/h in Drive (s)       2.8         60 to 90 km/h in Drive (s)       4.0         80 to 120 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         Urban WLTP range (km)       -         Urban WLTP range (km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         Urban WLTP cycle consumption (kWh / 100 km)       5,4 - 5,6         WLTP combined consumption (l/100km)       5,4 - 5,6         WLTP combined CO2 emissions (g/km)       123 - 135         Driving Sound level (dB)       67         WHEELS & TIRES         225/55 R19 103V         Type of tyres (standard or option, depending on version)       Michelin e-Primacy         BRAKE & SUSPENSIONS         Type of front / rear brakes       Discs 304x28 mm / 290x12 mm	Weight in running order (kg)	1 648 / 1 649 (with OEM tow hook option)
Authorized total rolling weight (kg)  PERFORMANCE (Driver only)  Maximum speed (km/h) 0-100 kph (s) 10.2 1000 m standing start(s) 30 to 60 km/h in Drive (s) 80 to 90 km/h in Drive (s) 80 to 100 km/h in Drive (s) 80 to 120 km/h in Drive (s) 80 to 120 km/h in Drive (s) 80 to 120 km/h in Drive (s) 90 to 120 km/h	Gross vehicle weight (kg)	2 080 / 2 100 (with OEM tow hook option)
PERFORMANCE (Driver only)           Maximum speed (km/h)         201           0 - 100 kph (s)         10.2           1 000 m standing start(s)         32.5           30 to 60 km/h in Drive (s)         2.8           60 to 90 km/h in Drive (s)         4.0           80 to 120 km/h in Drive (s)         6.9           WLTP RANGE, CONSUMPTION & EMISSIONS         -           Mixed WLTP range (km)         -           Mixed WLTP range (km)         -           Urban WLTP cycle consumption (kWh / 100 km)         -           Urban WLTP cycle consumption (kWh / 100 km)         -           WLTP combined consumption (l/100km)         5,4 - 5,6           WLTP combined CO2 emissions (g/km)         123 - 135           Driving Sound level (dB)         67           WHEELS & TIRES         225/55 R19 103V           Type of tyres (standard or option, depending on version)         Michelin e-Primacy           BRAKE & SUSPENSIONS         Discs 304x28 mm / 290x12 mm	Maximum towable weight (braked) (kg)	1000 / 1200 (with OEM tow hook option)
Maximum speed (km/h)       201         0 -100 kph (s)       10.2         1 000 m standing start(s)       32.5         30 to 60 km/h in Drive (s)       2.8         60 to 90 km/h in Drive (s)       4.0         80 to 120 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         - Urban WLTP cycle consumption (kWh / 100 km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         Urban WLTP cycle consumption (l/100km)       5,4-5,6         WLTP combined consumption (l/100km)       5,4-5,6         WLTP combined CO2 emissions (g/km)       123-135         Driving Sound level (dB)       67         WHEELS & TIRES         Type of tyres (standard or option, depending on version)       Michelin e-Primacy         BRAKE & SUSPENSIONS         Type of front / rear brakes	Authorized total rolling weight (kg)	3 080 / 3 300 (with OEM tow hook option)
0 -100 kph (s)       10.2         1 000 m standing start(s)       32.5         30 to 60 km/h in Drive (s)       2.8         60 to 90 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         Mixed WLTP cycle consumption (kWh/ 100 km)       -         Urban WLTP range (km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         WLTP combined consumption (l/100km)       5,4 - 5,6         WLTP combined CO2 emissions (g/km)       123 - 135         Driving Sound level (dB)       67         WHEELS & TIRES       225/55 R19 103V         Type of tyres (standard or option, depending on version)       Michelin e-Primacy         BRAKE & SUSPENSIONS       Discs 304x28 mm / 290x12 mm	PERFORMANCE (Driver only)	
1 000 m standing start(s)       32.5         30 to 60 km/h in Drive (s)       2.8         60 to 90 km/h in Drive (s)       4.0         80 to 120 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         Mixed WLTP cycle consumption (kWh/ 100 km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         WLTP combined consumption (l/100km)       5,4-5,6         WLTP combined CO2 emissions (g/km)       123-135         Driving Sound level (dB)       67         WHEELS & TIRES         225/55 R19 103V         Whichelin e-Primacy         BRAKE & SUSPENSIONS         Type of front / rear brakes         Discs 304x28 mm / 290x12 mm	Maximum speed (km/h)	201
2.8	0 -100 kph (s)	10.2
60 to 90 km/h in Drive (s)       4.0         80 to 120 km/h in Drive (s)       6.9         WLTP RANGE, CONSUMPTION & EMISSIONS         Mixed WLTP range (km)       -         Mixed WLTP cycle consumption (kWh / 100 km)       -         Urban WLTP range (km)       -         Urban WLTP cycle consumption (kWh / 100 km)       -         WLTP combined consumption (l/100km)       5,4 - 5,6         WLTP combined CO2 emissions (g/km)       123 - 135         Driving Sound level (dB)       67         WHEELS & TIRES         Type of tyres (standard or option, depending on version)       Michelin e-Primacy         BRAKE & SUSPENSIONS         Type of front / rear brakes       Discs 304x28 mm / 290x12 mm	1 000 m standing start(s)	32.5
80 to 120 km/h in Drive (s)  WLTP RANGE, CONSUMPTION & EMISSIONS  Mixed WLTP range (km)  Mixed WLTP cycle consumption (kWh/ 100 km)  Urban WLTP range (km)  Urban WLTP cycle consumption (kWh / 100 km)  Urban WLTP cycle consumption (l/100 km)  WLTP combined consumption (l/100 km)  S,4 - 5,6  WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  6.9  6.9  Consumption (kWh / 100 km)	30 to 60 km/h in Drive (s)	2.8
Mixed WLTP range (km)  Mixed WLTP cycle consumption (kWh/ 100 km)  Urban WLTP range (km)  Urban WLTP cycle consumption (kWh / 100 km)  Urban WLTP cycle consumption (kWh / 100 km)  WLTP combined consumption (l/100km)  WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  Z25/55 R19 103V  Type of tyres (standard or option, depending on version)  Michelin e-Primacy  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm	60 to 90 km/h in Drive (s)	4.0
Mixed WLTP range (km)  Mixed WLTP cycle consumption (kWh/ 100 km)  Urban WLTP range (km)  Urban WLTP cycle consumption (kWh / 100 km)  WLTP combined consumption (l/100km)  WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm	80 to 120 km/h in Drive (s)	6.9
Mixed WLTP cycle consumption (kWh/ 100 km)  Urban WLTP range (km)  Urban WLTP cycle consumption (kWh / 100 km)  WLTP combined consumption (l/100km)  WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm	WLTP RANGE, CONSUMPTION & EMISSIONS	
Urban WLTP range (km)  Urban WLTP cycle consumption (kWh / 100 km)  WLTP combined consumption (l/100km)  WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm	Mixed WLTP range (km)	-
Urban WLTP cycle consumption (kWh / 100 km)  WLTP combined consumption (I/100km)  WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm		-
WLTP combined consumption (I/100km)  WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm	Urban WLTP range (km)	-
WLTP combined CO2 emissions (g/km)  Driving Sound level (dB)  WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm		-
Driving Sound level (dB)  WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm		
WHEELS & TIRES  225/55 R19 103V  Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm	WLTP combined CO2 emissions (g/km)	123 - 135
Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  225/55 R19 103V  Michelin e-Primacy  Discs 304x28 mm / 290x12 mm	Driving Sound level (dB)	67
Type of tyres (standard or option, depending on version)  BRAKE & SUSPENSIONS  Type of front / rear brakes  Discs 304x28 mm / 290x12 mm	WHEELS & TIRES	
BRAKE & SUSPENSIONS Type of front / rear brakes  Discs 304x28 mm / 290x12 mm		225/55 R19 103V
Type of front / rear brakes Discs 304x28 mm / 290x12 mm	Type of tyres (standard or option, depending on version)	Michelin e-Primacy
	BRAKE & SUSPENSIONS	
	Type of front / rear brakes	Discs 304x28 mm / 290x12 mm
	Type of front / rear suspension	

# DIMENSIONS (mm) - 3008










# DIMENSIONS (mm) – 3008 FWD



Ast	J	к	L	М	± E	E	
		<i>y</i>					

Α	738,5
В	600
<b>C1</b>	854
E	925
E1	1030
<b>E2</b>	589
<b>E4</b>	779
F	921,5
G	884,6
Н	469,6
I	468
J	1452
K	1492,5
L	1428,6
М	1464



520 dm3 VDA 588 L



1480 dm3 VDA 1663 L

